



YOUR PARTNER FOR THE BEST QUALITY

# TEST REPORT

196, Aegibong-ro, Wolgot-myeon, Gimpo-si, Gyeonggi-do, 415-873 Rep. of KOREA

TEL 82-31-999-3000 FAX 82-31-999-3001

Report No : TAH-007152

Receipt Date : May.21.2014

Client : Sok-Hwan, Bae

Test Completion Date : Jun.03.2014

JHNMICROTEC

#26,(Cheonggye-dong F1) Hanjigol-gil, Ulsang-si, Gyeonggi-do, Korea

Sample : 103 Ebony Black

## TEST RESULTS

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Cr(VI)	mg/kg	-	Not Detected	EPA 3060A

\* USAGE : QUALITY CONTROL

NOTE : 1. The test results on this test report are only limited to the samples and sample names provided by the customer and KTR does not guarantee the quality of all products of the customer, and you can confirm the authenticity of the test report online ([www.ktr.or.kr](http://www.ktr.or.kr)) or by using the QR code.  
2. This test report shall not be used for public relation, advertisement, lawsuit and any other purposes outside the scope of its defined usage.

*Hong Chang-ki*

Prepared by Hong Chang-ki  
Tel: +82-31-999-3114  
E-mail: [environchem@ktr.or.kr](mailto:environchem@ktr.or.kr)

*Kim Jaehong*

Reviewed by Kim Jaehong  
Technical Manager  
E-mail: [kjhong@ktr.or.kr](mailto:kjhong@ktr.or.kr)

Jun.03.2014

**Korea Testing & Research Institute**

President

*Choi Hyeonk*

1 of Total 1 Page(s)



전자문서본(Electronic Copy)

**Test Report No. F690101/LF-CTSAYAA12-00956**

Issued Date: 2012. 01. 11 Page 1 of 3

To: JHNMICROTEC  
995-3  
Cheonggye-dong  
Euiwang-si  
Gyeonggi-do  
Korea

The following merchandise was submitted and identified by the client as :

SGS File No. : AYAA12-00956  
Product Name : Doreme RED  
Item No./Part No. : N/A  
Received Date : 2012. 01. 09  
Test Period : 2012. 01. 10 to 2012. 01. 11  
Test Results : For further details, please refer to following page(s)  
Test Performed : SGS Korea tested the sample(s) selected by applicant with following results.

SGS Korea Co. Ltd.

Jeff Jang / Chemical Lab Mgr

Timothy Jeon  
Jinhee Kim  
Cindy Park  
Jerry Jung/ Testing Person

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company is not responsible to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

JHN MICRO TEC  
1st Floor 995-3

Cheonggye-Dong,  
Uiwang-Si  
Gyeonggi-Do, Korea

Muenster, 08.07.2011

**Certificate**  
for the Cosmetic-Product  
**JMT COLOR**

**Dermatological test on humans in 2011**

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„very good“**

This product did not lead to toxic- irritative intolerance reactions in patch testing carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.

Dr. med. Werner Voss  
Investigating specialist  
for dermatology, allergology,  
venerology, phlebology  
and environmental medicine



Dermatest® GmbH | Engelstr. 37 | 48143 Münster | Germany

Tel.: +49 251 4882249 | Fax: +49 251 4902727  
www.dermatest.de | info@dermatest.de  
Geschäftsführer: Dr. med. Werner Voss  
Amtsgericht Münster HRB 1348 | Münsterländische Bank Thie & Co.  
BLZ 400 300 00 | Konto-Nr. 3 492 784 800 | USt-ID: DE126040147

**Product:** JMT Color  
**Type of product:** Pigment Color  
**Manufacturer:** JHN Micro Tec

## Safety Assessment

### CONCLUSION

The present formulation contains no raw material which is registered on the negative lists to be considered of the EC.

A health risk can be excluded on account of our considerations with regulation-appropriate and predictable use.

The toxicological risk with accidental, improper and/or unforeseeable application is excluded from this analysis.


Every statement and estimation in this safety analysis was expressed according to the present standard of knowledge. Each subsequent change of formula or change /addition of relevant data to the safety analysis leads to invalidity of this assessment.

All of the documents for the product in question were seen and inspected in Muenster by the undersigned.

DERMATEST Gesellschaft für allergologische Forschung GmbH

Muenster, 05.08.2011



  
**Dr. med. Werner Voss**  
Specialist in dermatology,  
venerology, allergology, phlebology  
and environmental medicine  
leading safety evaluator

  
**Dr. med. Gerrit Schlippe**  
Specialist in dermatology  
and venerology  
safety evaluator

  
**Kornelia Sievert**  
certified food chemist  
safety evaluator